

**In the Claims:**

What is claimed is:

1. (Currently Amended) A method of data retrieval comprising the steps of:  
providing a first memory circuit (610) ; providing a stride prediction ~~(611)~~table (SPT);  
providing cache memory circuit ~~(612)~~; executing instructions for accessing data  
~~(613)~~within the first memory; detecting a cache miss ~~(614)~~; and accessing and updating  
~~(615)~~the SPT only when a cache miss is detected.
2. (Original) A method according to claim 1 wherein the cache memory circuit is a stream buffer.
3. (Original) A method according to claim 1 wherein the cache memory circuit is a random access cache memory.
4. (Original) A method according to claim 1 wherein the cache memory circuit and the SPT are within a same physical memory space.
5. (Original) A method according to claim 1 wherein the first memory is an external memory circuit separate from a processor executing the instructions.
6. (Original) A method according to claim 1 wherein the step of detecting a cache miss includes the steps of determining whether an instruction being executed by the processor is a memory access instruction, when the instruction is a memory access instruction, determining whether data at a memory location of the memory access instruction is present within the cache; and when the data is other than present within the cache, detecting a cache miss.
7. (Original) A method according to claim 1 wherein the step of detecting a cache miss

includes the steps of determining whether an instruction to be executed by the processor is a memory access instruction; when the instruction is a memory access instruction, determining whether data at a memory location of the memory access instruction is present within the cache; and, when the data is other than present within the cache, detecting a cache miss, and accessing and updating the SPT only when the cache miss has occurred.

8. (Original) A method according to claim 1, wherein the step of accessing provides a step of filtering that prevents unnecessary access and updates to entries within the SPT.

9. (Original) A method according to claim 1, wherein the cache memory circuit is integral with the processor executing the instructions.

10. (Currently Amended) A method according to claim 1, wherein the SPT comprises an address field, and where a size of the address field is less than an address space used to index the SPT.

11. (Currently Amended) An apparatus comprising: a stride prediction ~~(604)~~ table (SPT); and, a filter circuit ~~(602)~~ for use with the SPT, the filter circuit for determining instances wherein the SPT is to be accessed and updated, the instances only occurring when a cache miss is detected.

12. (Original) An apparatus according to claim 11 comprising a memory circuit, the memory circuit for storing the SPT therein.

13. (Original) An apparatus according to claim 12 comprising a cache memory, the cache memory residing within the memory circuit ~~(605)~~.

14. (Original) An apparatus according to claim 13, wherein the memory circuit is a single ported memory circuit.

15. (Currently Amended) A ~~method~~ apparatus according to claim 13, wherein the memory circuit is a random access memory circuit.
16. (Original) A method according to claim 1, wherein the cache memory circuit is a stream buffer (606).